

Land-Mobile Price List

TK-2100
ProTalk™ Portable Radio



1 Channel

- included Accessories: Battery, Charger, Antenna and Belt Clip.
- VHF 2 Watts
 - 1 & 2 Channel Models
 - User Programmable Frequencies
 - Loud 500 mW Audio
 - Programmable QT Per Channel
 - Small & Lightweight
 - Rugged MIL-STD 810 C, D, & E
 - Die-Cast Chassis
 - Polycarbonate Case
 - Weather-Sealed Construction
 - Two Color LED
 - T-O-T
 - Busy Ch. Lockout
 - Low Battery Alert
 - 2 Year Limited Warranty
 - TK-260/360 Compatible Accessories



2 Channels

PACKAGE OPTIONS

Important Note:

Non-Standard Packages for all TK-2100/3100 models can only be ordered in quantities of 10 or more per individual model number! Orders cannot be mixed-n-matched to get 10 pieces!

Model	Description	List
VHF	KNB-14BK battery, KSC-23BK charger, and KRA-19BK or KRA-16M antenna included	
TK-2100V1	150-160 MHz VHF 2W, 1 Ch. (KRA-19BK helical antenna included) - Standard Package	\$227.00
TK-2100V2	150-160 MHz VHF 2W, 1 Ch. (KRA-16M stubby antenna included)	\$230.00
TK-2100V9	150-160 MHz VHF 2W, 2 Ch. (KRA-19BK helical antenna included) - Standard Package	\$242.00
TK-2100V10	150-160 MHz VHF 2W, 2 Ch. (KRA-16M stubby antenna included)	\$245.00
VHF	KNB-14BK battery, KSC-16BK charger, and KRA-19BK or KRA-16M antenna included	
TK-2100V3	150-160 MHz VHF 2W, 1 Ch. (KRA-19BK helical antenna included)	\$258.00
TK-2100V4	150-160 MHz VHF 2W, 1 Ch. (KRA-16M stubby antenna included)	\$261.00
TK-2100V11	150-160 MHz VHF 2W, 2 Ch. (KRA-19BK helical antenna included)	\$273.00
TK-2100V12	150-160 MHz VHF 2W, 2 Ch. (KRA-16M stubby antenna included)	\$276.00
VHF	KNB-15ABK battery, KSC-23BK charger, and KRA-19BK or KRA-16M antenna included	
TK-2100V5	150-160 MHz VHF 2W, 1 Ch. (KRA-19BK helical antenna included)	\$250.00
TK-2100V6	150-160 MHz VHF 2W, 1 Ch. (KRA-16M stubby antenna included)	\$253.00
TK-2100V13	150-160 MHz VHF 2W, 2 Ch. (KRA-19BK helical antenna included)	\$265.00
TK-2100V14	150-160 MHz VHF 2W, 2 Ch. (KRA-16M stubby antenna included)	\$268.00
VHF	KNB-15ABK battery, KSC-16BK charger, and KRA-19BK or KRA-16M antenna included	
TK-2100V7	150-160 MHz VHF 2W, 1 Ch. (KRA-19BK helical antenna included)	\$281.00
TK-2100V8	150-160 MHz VHF 2W, 1 Ch. (KRA-16M stubby antenna included)	\$284.00
TK-2100V15	150-160 MHz VHF 2W, 2 Ch. (KRA-19BK helical antenna included)	\$296.00
TK-2100V16	150-160 MHz VHF 2W, 2 Ch. (KRA-16M stubby antenna included)	\$299.00

Land-Mobile Price List

TK-3100

ProTalk™ Portable Radio



1 Channel

- Included Accessories: Battery ,Charger, Antenna and Belt Clip.
- UHF 2 Watts
- 1 & 2 Channel Models
- User Programmable Frequencies
- Loud 500 mW Audio
- Programmable QT Per Channel
- Small & Lightweight
- Rugged MIL-STD 810 C, D, & E
- Die-Cast Chassis
- Polycarbonate Case
- Weather-Sealed Construction
- Two Color LED
- T-O-T
- Busy Ch. Lockout
- Low Battery Alert
- TK-260/360 Compatible Accessories
- 2 Year Limited Warranty
- 2 Year Limited Warranty



2 Channels

PACKAGE OPTIONS

Important Note:

Non-Standard Packages for all TK-2100/3100 models can only be ordered in quantities of 10 or more per individual model number! Orders cannot be mixed-n-matched to get 10 pieces!

Model	Description	List
UHF	KNB-14BK battery, KSC-23BK charger, and KRA-20BK or KRA-17M antenna included	
TK-3100U1	460-470 MHz UHF 2W, 1 Ch. (KRA-20BK helical antenna included) - Standard Package	\$250.00
TK-3100U2	460-470 MHz UHF 2W, 1 Ch. (KRA-17M stubby antenna included)	\$253.00
TK-3100U9	460-470 MHz UHF 2W, 2 Ch. (KRA-20BK helical antenna included) - Standard Package	\$267.00
TK-3100U10	460-470 MHz UHF 2W, 2 Ch. (KRA-17M stubby antenna included)	\$270.00
UHF	KNB-14BK battery, KSC-16BK charger, and KRA-20BK or KRA-17M antenna included	
TK-3100U3	460-470 MHz UHF 2W, 1 Ch. (KRA-20BK helical antenna included)	\$281.00
TK-3100U4	460-470 MHz UHF 2W, 1 Ch. (KRA-17M stubby antenna included)	\$284.00
TK-3100U11	460-470 MHz UHF 2W, 2 Ch. (KRA-20BK helical antenna included)	\$298.00
TK-3100U12	460-470 MHz UHF 2W, 2 Ch. (KRA-17M stubby antenna included)	\$301.00
UHF	KNB-15ABK battery, KSC-23BK charger, and KRA-20BK or KRA-17M antenna included	
TK-3100U5	460-470 MHz UHF 2W, 1 Ch. (KRA-20BK helical antenna included)	\$273.00
TK-3100U6	460-470 MHz UHF 2W, 1 Ch. (KRA-17M stubby antenna included)	\$276.00
TK-3100U13	460-470 MHz UHF 2W, 2 Ch. (KRA-20BK helical antenna included)	\$290.00
TK-3100U14	460-470 MHz UHF 2W, 2 Ch. (KRA-17M stubby antenna included)	\$293.00
UHF	KNB-15ABK battery, KSC-16BK charger, and KRA-20BK or KRA-17M antenna included	
TK-3100U7	460-470 MHz UHF 2W, 1 Ch. (KRA-20BK helical antenna included)	\$304.00
TK-3100U8	460-470 MHz UHF 2W, 1 Ch. (KRA-17M stubby antenna included)	\$307.00
TK-3100U15	460-470 MHz UHF 2W, 2 Ch. (KRA-20BK helical antenna included)	\$321.00
TK-3100U16	460-470 MHz UHF 2W, 2 Ch. (KRA-17M stubby antenna included)	\$324.00

Land-Mobile Price List

TK-3101K2

FreeTalk XL™ Portable Radio

Model	Description	List
UHF TK-3101K2	Antenna, Battery, Spring action belt clip (KBH-8) and Drop-in Charger (KSC-23BK) included 460-470 MHz UHF 2W, 15 Ch.	\$275.00

- 2 Watts UHF FM
- 15 Channels
- FreeTalk FRS Compatible
- Loud 500 mW Audio
- Programmable QT Per Channel
- Repeater Capability
- Small & Lightweight
- Rugged MIL-STD 810 C, D, & E
- Die-Cast Chassis
- Polycarbonate Case
- Weather-Sealed Construction
- NEW Full Color Action-Photo Packaging



15 Channels

- Two Color LED
- T-O-T
- Busy Ch. Lockout
- Low Battery Alert
- ProTalk & TK-260/360 Compatible Accessories
- 2 Year Limited Warranty

Included Accessories:

- Sealed KNB-14 - 8 Hr. NiCd Pk.
- KSC- 23BK Regular Rate Desktop charger
- KRA-15AM Rugged SMA Antenna
- KBH-8 Spring Action Belt Clip

Accessories for TK-2100/3100/3101K2

Model	Description	List
ANTENNAS		
KRA-14M	VHF helical antenna 148-162 MHz (TK-2100)	\$17.00
KRA-15AM	UHF whip antenna 450-490 MHz (TK-3100/3101)	17.00
KRA-16M	VHF stubby antenna 148-162 MHz (TK-2100) --- same as supplied w/TK-2100V's	13.00
KRA-17M	UHF stubby antenna 450-490 MHz (TK-3100/3101) --- same as supplied w/TK-3100U's	13.00
KRA-19BK	VHF helical antenna 148-162 MHz (TK-2100V's) --- same as supplied w/TK-2100V's Note: Not available for purchase as a separate accessory. For replacement or add-on, please order KRA-14M.	N/A
KRA-20BK	UHF whip antenna 450-490 MHz (TK-3100U's) --- same as supplied w/TK-3100U's Note: Not available for purchase as a separate accessory. For replacement or add-on, please order KRA-15AM.	N/A
***** Call Kenwood Parts at 800-367-7514 to order the following:		
T90-0694-15	UHF whip antenna 450-460 MHz --- same as supplied w/TK-3100K/K2 only	16.00
T90-0695-15	VHF helical antenna 150-160 MHz --- same as supplied w/TK-2100K/K2 only	16.00

Accessories for TK-2100/3100/3101K2 Continued

BATTERIES AND CHARGERS

KBP-1	KNB-14 size 6 cell AA Alkaline pack, black (batteries not incl.)	20.00
KNB-14	600 mAh, 7.2 VDC (4/5W), NiCd battery - same as supplied w/radio	37.00
KNB-15A	1100 mAh, 7.2 VDC (4/5W) extended capacity NiCd battery	47.00
KNB-20N ³	1600 mAh NiMH 11 hours life @ 5-5-90 Note: KSC-24 charger required - not compatible with Kenwood NiCd chargers or earlier model leather cases	47.00
KMB-14	Six Unit Charger Adapter for the KSC-15/16/17/18/19 (chargers not included)	165.00
KMB-16	Six Unit Charger Adapter for the KSC-24 (chargers not included)	165.00
KMB-21	Six Unit Charger Adapter for the KSC-23BK/28 (chargers not included)	165.00
KSC-15	Regular rate single unit desk charger	28.00
KSC-15M	220 volt Regular rate single unit desk charger	28.00
KSC-23BK	Regular rate single unit desktop charger 120V - same as supplied w/TK-2100/3100 and TK-3101K2 Note: Not available for purchase as a separate accessory. For replacement or add-on chargers, please order KSC-15/24.	N/A
KSC-24	Rapid rate single unit dual-chemistry charger (for NiCd & NiMH batteries) Note: Compatible with KNB-14/15A/20N; KMB-16 DC Gang Charger Adapter; KVC-4 DC Charger Adapter.	\$59.00
KSC-24E	220V Rapid rate single unit dual-chemistry charger (for NiCd & NiMH batteries) Note: Compatible with KNB-14/15A/20N; KMB-16 DC Gang Charger Adapter; KVC-4 DC Charger Adapter.	\$59.00
KVC-3	Regular rate DC vehicular charger adapter for the KSC-15, 17, 19 (chargers not included)	60.00
KVC-4	Rapid rate DC vehicular charger adapter for the KSC-16, 18, 24 (chargers not included)	80.00

CARRYING ACCESSORIES

KBH-8 ¹	Spring action belt clip	8.00
KBH-8DS ¹	Swivel belt loop with D-Ring	25.00
KLH-83B	Heavy duty carrying case w/bungi-cord for TK-2100/3100/3101 - Replaces KLH-83 Note: Compatible with KNB-14/15A/20N	35.00
KLH-84B	Nylon case for TK-2100/3100/3101 (Black)	14.00
KLH-6SW	Swivel belt loop / detachable swivel back for KLH-58/60/70/71/75/76/78/79/83B	21.00
KWR-1	Water resistant bag	29.00

MICROPHONE AND SPEAKERS

EMC-3	Clip Mic w/earphone	29.95
KHS-23	2-Wire Cell-style Earbud Clip/PTT Palm Mic (medium duty)	53.00
HMC-3	Headset w/PTT & VOX	59.95
KEP-2	2.5mm earphone kit for KMC-17 Speaker Mics (Black only). [KEP-2 & KMC-21 are not plug-compatible].	50.00
KHS-1	Order HMC-3	N/A
KHS-10-BH	Hvy-duty noise reduction behind-the-headset w/noise cancelling boom mic & in-line PTT (black); NRR24 db	350.00

Accessories for TK-2100/3100/3101K2 Cont'd...

Model	Description	List
MICROPHONE AND SPEAKERS CONT'D...		
KHS-10-OH	Hvy-duty noise reduction over-the-headset w/noise cancelling boom mic & in-line PTT (black); NRR24 db	\$320.00
KHS-7	Single muff headset w/boom mic (black)	67.00
KHS-7A	Lt. Wt Single muff headset w/boom mic & in-line PTT (black)	100.00
KHS-8BE	Two-Wire palm mic w/earphone (beige)	99.00
KHS-8BL	Two-Wire palm mic w/earphone (black)	99.00
KHS-9BE	Three-Wire lapel mic w/earphone (beige)	159.00
KHS-9BL	Three-Wire lapel mic w/earphone (black)	159.00
KHS-22	Behind-the-Head Headset with flexible boom mic and in-line PTT single ear receiver; low profile wire head band; VOX-ready (radio must have VOX feature)	39.00
KMC-17	Speaker microphone (Built-in 2.5mm miniature earphone jack)	82.00
KMC-21	Compact speaker microphone	49.00
SERVICE RELATED ACCESSORIES		
KPG-22	Programming interface cable (powered by P.C.s serial port)	N/A
KPG-48D	Field Programming Unit for TK-2100/3100/3101	N/A
KPT-60 ²	Programming Unit for TK-2100/3100 (incl. ProTalk™ Interface Cable)	108.00
***** Call Kenwood Parts at 800-367-7514 to order the following:		
C100569-19	KHS-8BE/9BE Replacement eartips, 10 per pack, beige (Recommended for sanitary purposes)	10.00
C100569-2	KHS-8BL/9BL Replacement eartips, 10 per pack, black	10.00
C100693-19	KHS-8BE/9BE Acoustic tube replacement kit, beige (Clear coiled tubing)	16.35
C100693-2	KHS-8BL/9BL Acoustic tube replacement kit, black	16.35
C100733	KHS-8/9 Noise attenuating kit, 1 set per pack (Foam ear tips pieces)	4.00
C807027-05	KHS-7 Foam mic windscreen, 5 pcs per pack	6.80
C807028-05	KHS-7 Foam ear cushion, 2 pcs per pack	6.50
W08-0551-05	AC Adapter (same as supplied w/ TK-2100/3100/3101K --- Reg. Rate single unit desk charger not incl.)	16.85
W08-0552-15	Regular rate single unit desk charger (same as supplied w/TK-2100/3100/3101K --- AC Adapter not incl.)	22.83

Installation / Tuning Charges for TK-2100/3100/3101K2

Model	Description	List
L-820	Assemble KMB-14 with six KSC-15's (120 volt versions only!) Order product separately.	\$15.00
L-821	Assemble KMB-14 with six KSC-16's (120 volt versions only!) Order product separately.	15.00
L-836	Assemble KMB-16 with six KSC-24's	15.00
L-852	Change channel to other frequencies* or program	25.00

*Note: ProTalk™ channels can be changed by the Dealer by following the Instructions Manual.

¹ Retain the screws included with the metal belt clip (included with radio). These are required to attach the KBH-8 or KBH-8DS. Screws also available from Parts Dept.: Part # N99-0396-05.

² The KPT-60 can only access the pre-stored memory bank frequencies and coded squelch tones (QT/DQT) that have been either Kenwood factory pre-programmed or Kenwood dealer pre-programmed. The KPT-60 DOES NOT replace the KPG-22/KPG-48D programming cable/software available to Kenwood Authorized two-way dealerships. Only the KPG-22/KPG-48D has full radio frequency and parameter programming capability for ProTalk™ (sets memory banks to any frequency in the radios band range; re-programs coded squelch tables for any QT/DQT; sets T-O-T, squelch, beep tone, battery save, busy channel lockout, wide/narrow bandwidth and monitor function).

³ **Important Note regarding KNB-20N:**

- NiMH batteries will exhibit reduced capacity while exposed to temperatures below 14°F(-10°C) and become virtually unusable below -4°F or (-20°C). NiMH batteries are commonly used in extreme low temperature environments (ex: northern latitudes, refrigerated warehousing, etc.) by keeping the portable next to the body under the users coats. Prolonged exposure to extreme cold should be avoided for proper radio operation.

- NiMH batteries capacity life is slightly lower than NiCd: **NiCd : 70% at 500 cycles vs. NiMH (1600 mAh): 60% at 500 cycles**